

Poster Session Program

P001

Y. Harano, R. Roth, M. Kinoshita

Morphometric approach to the solvation free energy of a protein

P002

M. Ikeguchi, S. Fuchigami, A. Kidera

Detecting domain motions of proteins in molecular dynamics simulations and normal mode analyses

P003

S. Phongphanphanee, N. Yoshida, F. Hirata

Comparison of solvated structure of water channels by using 3D-RISM method

P004

T. Miyata, F. Hirata

Theoretical Study on Thermodynamic Stability of Micelles

P005

Y. Maruyama, Y. Ikuta, F. Hirata

Hydration structures around and inside alpha-, beta- and gamma-cyclodextrins: 3D-RISM analyses

P006

N. Yoshida, F. Hirata

Theoretical Study of Ion Recognition by Human Lysozyme by the Integral Equation Theory

P007

R. Ishizuka, F. Hirata

Molecular theory of the triplet molecular correlations

P008

N. Matubayasi

Free-energy analysis of binding into self-organizing, nanoscale structures in solution

P009

R. Akiyama, N. Fujino, K. Kaneda, M. Kinoshita

Interaction between Charged Colloidal Particles Immersed in Simple Electrolyte Solution Studied by the OZ-HNC Theory

P010

T. Takahashi

Molecular dynamics simulations of water molecules around solutes and in constant electric fields: Analysis of the dynamical properties

P011

F. Morimoto, Y. Kida, M. Sakaguchi

Driving force for polypeptide chain translocation through protein conducting channel

P012

T. Hotta, M. Sasai

Fluctuating Hydrophobic Hydration around Carbon Nanotubes

P013

A. Ikeda, D. Yokogawa, S. Sato, S. Sakaki

The nature of chemical bond of solvated molecules: Using the new analysis of molecular orbital wave functions based on the resonance theory

P014

D. Yokogawa, H. Sato, S. Sakaki

A new procedure to evaluate 3D solvation structure based on integral equation theory

P015

K. Iida, H. Sato, S. Sakaki

Solvation Effect in the reaction of $\text{CO}_2 + \text{OH}^- \rightarrow \text{HCO}_3^-$

P016

K. Kido, H. Sato, S. Sakaki

Theoretical study of solvation structure of glycine in HCl solution based on RISM theory

P017

T. Amano, Y. Nakao, H. Sato, S. Sakaki

Analysis on Water Cluster in terms of Atomic and Diatomic Contributions: A Monte Carlo Study

P018

Y. Joti, H. Nakagawa, M. Kataoka, A. Kitao

Effects of solvent on protein dynamics studied by molecular dynamicssimulation of crystalline Staphylococcal nuclease

P019

S. Hayward, A. Kitao

NAD binding releases blocking loop for cooperative domain closing in liver alcohol dehydrogenase

P020

H. H. Loeffler, A. Kitao

Hydration and Collective Motions in Glutamine Binding Protein

P021

M. Takano

Energy landscape of intermolecular interaction between a myosin molecule and an actin filament

P022

M. Endo, M. Takano

Effectiveness of the transition path sampling to study rare structural changes of a protein in aqueous solution

P023

H. Takahashi, H. Ohno, S. Furukawa, M. Nakano

Quantum Chemical Calculation of the Free Energy Change for the One-Electron Reduction of FAD in Apoprotein

P024

T. Terada, K. Shimizu

Improving efficiency of conformation sampling in multicanonical molecular dynamics simulation

P025

H. Torii

Vibrational spectroscopic features arising from non-random structures of hydrated "random coil" peptide chains simulated by time-domain computational method

P026

Y. Miyata, O. Okada, T. Seko, T. Yoshida, M. Yohda

*Molecular dynamics simulation of aspartate racemase from *Pyrococcus horikoshii* OT3*

P027

Y. Shimbo, H. Matsumoto, Y. Seki, K. Soda

Structural and thermodynamic analysis of hydrophobic solvation by molecular dynamics simulation

P028

M. Iwaoka, N. Kimura, R. Ooka, N. Habiro, T. Minezaki

Molecular simulation of polypeptides using the SAAP simulation program

P029

A. Yoshimori

Diffusion of large particles

P030

K. Ando

A molecular dynamics study on the ligand to metal charge transfer dynamics in a blue copper protein plastocyanin

P031

Y. Yonetani, S. Fujii, A. Sarai, H. Kono, N. Go

DNA Sequence Specific Hydration Responsible for Conformational Flexibility-- molecular dynamics simulation on all possible tetramer sequences --

P032

Y. Yonetani

A critical test of the electrostatic cutoff length for bimolecular simulations

P033

T. Yoda, Y. Sugita, Y. Okamoto

Secondary structure formation studied by molecular dynamics simulations of short peptides

P034

S. G. Itoh, Y. Okamoto

Theoretical studies for amyloidogenesis of A β (29-42)

P035

T. Mori, H. Kokubo, H. Shimizu, M. Iwamoto, S. Oiki, Y. Okamoto

Dynamical properties of Polytheonamide B: a normal mode analysis

P036

H. Okumura, S. G. Itoh, Y. Okamoto

Explicit symplectic molecular dynamics simulations for rigid-body molecules in the canonical ensemble

P037

K. Joo, J. Lee, I. Kim, S. J. Lee, J. Lee

Multiple sequence alignment using conformational space annealing

P038

K. Joo, J. Lee, S. Lee, J. Seo, S. J. Lee

A template based modeling based on global optimization

P039

M. Saito, I. Okazaki

Molecular dynamics simulations of chaperonin in water

P040

Y. Takano, N. Kawasaki, T. Furuki, M. Sakurai

Molecular dynamics simulation on the interaction between trehalose and phospholipid bilayer

P041

A. Kidowaki, A. Tamura

Molecular design of metal-binding peptidnanotubes

P042

N. Kawasaki, T. Furuki, M. Sakurai

Molecular dynamics simulation on the glassy states of trehalose and neotrehalose

P043

T. Yamato, T. Ishikura, K. Kawaguchi

Spectral tuning, photoisomerization, and energy transfer pathways of photoactive yellow protein

P044

A. Okabe, M. Sakurai

Free energy calculation on the interaction of trehalose with hydrophobic compounds

P045

D. Kitamura, Y. Yamazaki, K. Shirai, H. Kamikubo, Y. Imamoto, M. Kataoka

The effect of simplified amino acid sequence on conformational stability and catalysis of Staphylococcal nuclease

P046

H. Tsuihiji, H. Kamikubo, K. Shirai, Y. Yamazaki, Y. Imamoto, M. Kataoka

Investigation of the structural and functional regions of photoactive yellow protein by using systematic alanine insertion

P047

H. Nakagawa, Y. Joti, A. Kitao, K. Shibata, N. Go, M. Kataoka

Dynamics of protein and its hydration water studied by incoherent neutron inelastic scattering

P048

V. A. L. Fonfria, H. Kandori

Room-temperature FTIR spectroscopy of active internal water molecules in the bacteriorhodopsin photocycle

P049

M. Shibata, M. Yoshitsugu, K. Ihara, H. Kandori

FTIR studies of halide-bound D85S and D212N bacteriorhodopsin mutants

P050

Y. Furutani, M. Sumii, Y. Fan, L. Shi, S. A. Waschuk, L. S. Brown, H. Kandori

Long-range interaction between the cytoplasmic carboxylic acid and the retinal in a fungal light-driven proton pump

P051

A. Kawanabe, Y. Furutani, K. H. Jung, H. Kandori

Photochromic behavior of Anabaena sensory rhodopsin

P052

T. Iwata, D. Nozaki, S. Tokutomi, H. Kandori

Identification of the N-H stretch of Asn1008 by FTIR spectroscopy in the LOV2 domain of Adiantum Phytochrome3

P053

A. Yamamoto, T. Iwata, S. Tokutomi, H. Kandori

Role of Phe-1010 in the light-induced structural changes of LOV2 domain of Adiantum Phytochrome3

P054

T. Konuma, K. Sakurai, Y. Goto

Promiscuous binding of ligands by β -lactoglobulin involves hydrophobic interactions and plasticity

P055

K. Sakamoto, A. Ehara, T. Uchida, K. Ishimori

Dynamics of Water Molecules in Protein Folding: Volume Profile Analysis by High Pressure Spectroscopy

P056

H. Imamura, M. Kato

Pressure dependence of helix-coil transition for alanine-based peptides in water

P057

Y. Kudo, Y. Higuchi, M. Kato

Raman study of conformational equilibria of the disulfide bridges of proteins

P058

A. Maeno, R. Kitahara, F. W. Dahlquist, S. Yokoyama, F. A. A. Mulder, K. Akasaka

Variable pressure NMR reveals conformational fluctuation around cavities in a protein

P059

R. Kitahara, K. Hata, S. Yokoyama, J. W. Cheng, K. Akasaka

The energy landscape of BTK SH3 domain revealed by variable pressure NMR

P060

A. K. Simorellis, R. Kitahara, S. Yokoyama, S. Koide, K. Akasaka

Variable pressure NMR study on multiple conformational states of OspA, a vaccine candidate for Lyme disease

P061

T. Kamijima, S. Toshiya, T. Aizawa, K. Kawano, M. Demura

Non-native structure of alpha-lactalbumin-fatty acid complex as an apoptosis induction factor

P062

Y. Nonaka, D. Akieda, T. Aizawa, M. Kamiya, K. Kawano, M. Demura

Construction of stabilized lysozyme against spontaneous deamidation

P063

T. Ikura, K. Kinoshita, N. Ito

Excavation of novel peptidyl-prolyl isomerases on the basis of information acquired by comprehensive mutational analysis

P064

H. Takano

Counterion condensation and Self-condensation of single polyelectrolytes

P065

S. Kuroiwa, T. Yajima, N. Okishio, N. Funasaki, S. Hirota

Optical control of protein—peptide complex formation using a photocleavable cyclic peptide: recognition by phosphatidylinositol 3-Kinase SH3 domain

P066

Y. Hoshihara, Y. Imamoto, M. Kataoka, F. Tokunaga, Y. Kimura, M. Terazima

Pressure effect on photoreaction dynamics of Photoactive Yellow Protein

P067

Y. Nakasone, T. Ono, A. Ishii, S. Masuda, M. Terazima

Kinetic measurement of photoinduced dimerization process of BLUF protein YcgF

P068

P. Hazra, K. Inoue, W. Laan, K. J. Hellingwerf, M. Terazima

A new insight to the excited state photochemistry of BLUF domain of AppA by different photothermal methods

P069

M. Kondo, N. Baden, M. Terazima

A method to detect conformational dynamics of Calmodulin induced by calcium ion

P070

T. Eitoku, Y. Nakasone, D. Matsuoka, S. Tokutomi, M. Terazima

Time-resolved thermodynamics on photochemical intermediates of Phototropin associated with the conformational change

P071

K. Inoue, J. Sasaki, J. L. Spudich, M. Terazima

Study on the transducer activation dynamics by sensory rhodopsin II

P072

Y. Seki, J. Fujii, K. Soda

Hydration Effects on Partial Molecular Volume of Proteins

P073

S. Hatanaka, Y. Taniguchi

FTIR study on myoglobin aggregates

P074

K. Ado, N. Takeda, K. Saeki, Y. Taniguchi

The structure of insulin aggregates and the aggregation mechanism induced by the reduction of disulfide bonds

P075

M. Yamashita, K. Araya, R. Kitahara, M. Kato, Y. Taniguchi

Crystalization and dissolution of ubiquitin crystal under high pressure

P076

T. Itoh, W. Hashimoto, B. Mikami, K. Murata

Bacterial unsaturated glucuronyl hydrolase, glycosaminoglycan-degrading enzyme, triggers hydration of vinyl ether group but not of glycosidic bond

P077

M. Odaka, T. Arakawa, S. Hori, S. Kataoka, Y. Katayama, M. Yohda

Promotion of cobalt-incorporation into thiocyanate hydrolase by the activator protein, P15k

P078

K. Yamada, M. Odaka, M. Yohda, R. G. Matthews

Effect of pH on allosteric regulation of human methylenetetrahydrofolate reductase

P079

S. Yagihara, K. Matsumoto, K. Yokoyama, Y. Umino, M. Shinohara, Y. Hayashi, N. Shinyashiki, R. Kita

New approaches to dynamic-fractal water/protein structures using broadband dielectric spectroscopy

P080

M. Nagai, T. Arikawa, K. Tanaka

Hydration number of biomolecules revealed by dielectric constants in THz frequency region

P081

T. Miyazaki, M. Suzuki

Evaluation of the degree of water structure breaking effect by microwave dielectric spectroscopy

P082

G. Mogami, T. Miyazaki, T. Wazawa, M. Suzuki

Fluorescent spectroscopy of riboflavin in polyelectrolyte solutions

P083

S. Shizuka, T. Miyazaki, M. Suzuki

Effect of potassium iodide and chondroitin sulfate forming hyper-mobile water on the viscosity of poly(vinyl alcohol) hydrogels

P084

N. Tanno, T. Miyazaki, M. Suzuki

Effect of magnesium ions on the hydration property of poly(2-acrylamide-2-methyl propane sulfonic acid)

P085

J. Sato, X.Y. Gang, T. Miyazaki, M. Suzuki

Proton diffusion coefficients and dielectric relaxation frequency of water around actin filaments

P086

K. Matsuo, M. Yusa, Y. Noda, S. Segawa

Glycerol induces lysozyme in non-native states to recover the native-like conformation - Effects of glycerol on kinetics of regeneration of disulfide bridges in disulfide-deficient variants of lysozyme

P087

T. Fujinaga, S. Nakamura, S. Krishtal, K. Yoshida, S. Lee, T. Yamaguchi

On the role of solvent environment in alcohol-induced α -helix formation of model peptides

P088

K. Yoshida, T. Yamaguchi, M. C. Bellissent-Funel, S. Longeville

Hydration Water in Dynamics of a Hydrated β -lactoglobulin

P089

T. Ueno, T. Tanii, N. Shimamoto, T. Miyake, H. Sonobe, I. Odomari, T. Funatsu

Single molecule imaging of Chaperonin functions using zero-mode waveguides

P090

K. Okamoto, M. Nishiyama, M. Terazima

Direct observation of conformational dynamics of single biomolecules as sequential state transitions

P091

T. Tezuka-Kawakami, C. Gell, D. J. Brockwell, D. A. Smith, S. E. Radford

Single molecule FRET study of the bacterial immunity proteins

P092

E. Muneyuki, T. Watanabe-Nakayama, M. Yoshida, S. Sugiyama, S. Kudo

Effect of external torque on the rotation of F1-ATPase motor

P093

S. Hirota, K. Azuma, N. Baden, R. Hulsker, M. Ubbink, N. Funasaki, M. Terazima

Photo-cleavable modification of apoplastocyanin and its protein folding

P094

N. Baden, A. Matsuoka, S. Hirota, M. Terazima

Direct time-resolved measurement of the enthalpy-, heat-capacity- and volume change along apo-plastocyanin folding by transient grating method

P095

K. Kamagata, M. Kinoshita, Y. Goto, S. Takahashi

Development of sheath-flow system to observe protein folding events at a single-molecule level

P096

T. Nakamura, K. Maki, K. Kuwajima

The native and molten globule states of goat α -lactalbumin characterized by the NMR hydrogen-exchange technique

P097

K. Takahashi, K. Maki, K. Kuwajima

The effect of ADP on the kinetics of the ATP-induced allosteric transition of GroEL

P098

K. Suzuki, A. Kadooka, K. Takahashi, K. Maki, K. Kuwajima

The effect of the chaperonin GroEL/ES on the refolding kinetics of a staphylococcal nuclease mutant

P099

R. Takahashi, R. Yoshida, K. Maki, K. Kuwajima

Folding kinetics of the A90S variant of proline-free staphylococcal nuclease

P100

K. Nakagawa, Y. Yamada, K. Fujiwara, M. Ikeguchi

Interactions responsible for early structures in the folding of equine beta-lactoglobulin

P101

M. Umeyama, H. Kamikubo, M. Iwakura, M. Kataoka

Extraction of the essential regions of dihydrofolate reductase sequence by alanine insertion perturbation analysis

P102

S. Kato, H. Kamikubo, M. Onitsuka, Y. Yamazaki, Y. Imamoto, M. Kataoka

Elucidation of the unfolding-state and the folding process of the disulfide-bond introduced mutant of Staphylococcal nuclease

P103

K. Sakurai, Y. Goto

Relationship between pH-dependent conformational and stability changes of bovine β -lactoglobulin studied using NMR spectroscopy

P104

E. Chatani, H. Yagi, H. Naiki, Y. Goto

Structural polymorphism of Λ 2-microglobulin amyloid fibrils induced by the addition of trifluoroethanol

P105

M. Arai, E. Kondrashkina, C. Kayatekin, C. R. Matthews, M. Iwakura, O. Bilsel

Microsecond hydrophobic collapse in the folding of Escherichia coli dihydrofolate reductase, an alpha/beta-type protein

P106

M. Arai, M. Iwakura, C. R. Matthews, O. Bilsel

Microsecond folding of Escherichia coli dihydrofolate reductase monitored by time-resolved fluorescence spectroscopy

P107

M. Arai, H. Takahashi, M. Iwakura

Resolution of individual tryptophan fluorescence of a multi-tryptophan protein, dihydrofolate reductase: A FRET study

P108

M. Arai, M. Iwakura

Roles of chain connectivity in the acquisition of protein foldability revealed by shuffling of the folding elements of DHFR

P109

S. Takehara, M. Onda

Polymerization and folding of neuroserpin: implications of the folding to the metastable state for serpinopathies

P110

M. Onda

Cleaved ovalbumin mutant R339T refolds to a thermostable loop-inserted form via the metastable native structure

P111

Y. O. Kamatari, H. K. Nakamura, K. Kuwata

Laser-induced temperature-jump study on the folding reaction of beta-lactoglobulin

P112

S. Iimura, T. Umezaki, M. Takeuchi, M. Mizuguchi, K. Ogasahara, H. Yagi, H. Akutsu, Y. Noda, S. Segawa, K. Yutani

*The Role of C-terminal α -helix of pyrrolidone carboxyl peptidase from *P. furiosus* in folding and stability*

P113

J. Li, Y. Matsumura, M. Shinjo, H. Kihara

Stable α -helix-rich intermediate of single mutant A45G of src SH3

P114

H. Kihara, J. Li, M. Shinjo, Y. Matsumura

Alpha-helix-rich intermediate in the early stage of protein folding

P115

Y. Matsumura, C. Dumont, S. Kim, J. Li, E. Kondrashkina, M. Gruebele, H. Kihara

Early events of folding of lambda repressor investigated by cryo-stopped-flow method

P116

K. Ogawa, Y. Sambongi

*Contribution of Disulfide Bond to the Stability and Redox Function of *Shewanella violacea* Cytochrome c5*

P117

M. Hamaguchi, D. Hamada, K. N. Suzuki, I. Sakata, I. Yanagihara

Thermodynamic and Mutational Studies on Association of Natively Partially Folded EspB with alpha-Catenin Tail Domain

P118

M. Takeuchi, M. Mizuguchi, Y. Nabeshima, K. Yutani, K. Kawano

The intermediate structure of pyrrolidone carboxyl peptidase studied by site-directed spin labeling and NMR

P119

M. Sawano, K. Ogasahara, S. Katoh, E. Katoh, S. Yokoyama, K. Yutani

*Stabilization mechanism of CutA1 protein from *P. horikoshii*, with unusually high denaturation temperatures*

P120

M. Iwaoka, F. Kumakura

Study on structure folding of ribonuclease A coupled with SS rearrangement

P121

T. Baba, S. Nakamura, Y. Seki, S. Kidokoro

Molten globule-like intermediate state of cytochrome c observed in the thermal transition under weak acidic

condition

P122

M. Yohda, C. Sugino, M. Hirose, Y. Yoshinari, H. Tohda, M. Shimizu, S. Kidokoro, M. Odaka
Molecular mechanism of temperature dependent dissociation and interaction with unfolded proteins of small heat shock proteins from the fission yeast, Schizosaccharomyces pombe

P123

K. Sasahara, H. Yagi, H. Naiki, Y. Goto
Heat Capacity Change Associated with Structural Conversion into Amyloid Fibrils

P124

H. Yagi, T. Ban, K. Morigaki, H. Naiki, Y. Goto
Surface interaction effects on fibril morphology in the self assembly of amyloid $\beta(1-40)$ into amyloid

P125

R. Adachi, K. Yamaguchi, M. Sakai, H. Yagi, K. Sakurai, H. Naiki, Y. Goto
Orientation of amyloid fibrils formed by β_2 -microglobulin and its peptide fragment in a flow

P126

M. Sakata, E. Chatani, A. Kameda, K. Sakurai, H. Naiki, Y. Goto
Folding and Unfolding Kinetics of β_2 -Microglobulin as Probed by Tryptophan Fluorescence

P127

H. K. Nakamura, M. Takano, K. Kuwata
Replication mechanism of infectious prion protein (PrP^{Sc}): A nonamer disruption simulation using Go model

P128

K. Hasegawa, M. Hirohata, S. Tsutsumi-Yasuhara, Y. Ohhashi, T. Ookoshi, K. Ono, M. Yamada, H. Naiki
Preferential and reversible binding of flavonoids to the amyloidfibril structure exerts anti-amyloidogenic effect against Alzheimer's beta-amyloid fibrils in vitro

P129

Y. Nagai, H. A. Popiel, N. Fujikake, T. Inui, Y. Goto, H. Naiki, T. Toda
Beta-sheet conformational transition and amyloid-like fibril formation of the polyglutamine protein, and screening for their inhibitors

P130

D. Hamada

Thermodynamic analysis on the amyloid fibril formation by beta- lactoglobulin

P131

Y. Furukawa, N. Nukina

Polyglutamine fibrillization affected by non-pathogenic proteins - roles of cross-seeding in neurodegenerative diseases

P132

T. Takahashi, K. Ohta, H. Mihara

Construction of green fluorescent protein (GFP) variants with amyloid β -peptide sequence

P133

K. Ueki, T. Fujinaga, S. Nakamura, S. Krishtal, K. Yoshida, S. Lee, T. Yamaguchi

On The Role of Solvent Cluster in Dissolution of Amyloid-like Fibrils in DMSO-Water Mixtures

P134

N. Okumura, M. Deshimaru, S. Terada, S. Lee, T. Yamaguchi,

Design and Synthesis of an Oxidation-Responsible Amyloid Fibril Formation Protein, AG-Met, and Its Expression in Cell

P135

A. Raziq, A. Latif, R. Kono, H. Tachibana, K. Akasaka

Pressure dissociation kinetics of amyloid protofibrils

P136

T. Ohkawa, R. Kono, T. Kanaya, H. Tachibana, K. Akasaka

Intrinsic rate of dissociation of monomeric protein from amyloid protofibrils

P137

A. Raziq, A. Latif, A. Nakamura, K. Matsuo, H. Tachibana, K. Akasaka, K. Gekko

Amyloid protofibril is highly voluminous and compressible

P138

R. Kono, H. Tachibana, K. Akasaka

Morphology of amyloid protofibrils from various disulfide-deficient mutants of hen lysozyme

P139

I. Hayashi, A. Maeno, K. Morimoto, K. Akasaka

Characteristic features of amyloid fibril formation from wild-type hen lysozyme

P140

K. Sasaki, J. Gaikwad, R. Kitahara, S. Hashiguchi, K. Sugimura, K. Akasaka

Pressure effect on oligomeric human prion

P141

T. Ishikawa, I. Tanaka, T. Chatake, I. Kurihara, Y. Onishi, K. Kusaka, T. Tamada, R. Kuroki, N. Niimura

Neutron diffraction from cubic insulin at several PD

P142

S. Yamaguchi, H. Kamikubo, N. Shimizu, Y. Yamazaki, Y. Imamoto, M. Kataoka

Preparation of large crystal of photoactive yellow protein for neutron diffraction and high resolution crystal structure analysis

P143

K. Hirako, H. Kamikubo, M. Kawasaki, R. Kato, K. Nakayama, S. Wakatsuki, M. Kataoka

Structural analysis of GGA (VHS-GAT) --Arf complex using SAXS measurement

P144

T. Oka, A. Maeno, E. Kurimoto, K. Kato, M. Nakasako

Redox-dependent domain rearrangement of thermophilic fungal protein disulfide isomerase studied by solution X-ray scattering

P145

R. Okubo, N. Yamada, T. Motoyama, M. Nakasako

Structure-function relationship of scytalone dehydratase studied by X-ray crystallography of mutated enzymes

P146

M. Shinjo, H. Shinomiya, L. Fengzhi, Y. Asano, H. Kihara

X-ray solution scattering study of associated protein, grancalcin

P147

T. Nakamura, C. T. Migita, Y. Yamagata

Kinetic Crystallography of Escherichia coli MutT: an activation mechanism of a nucleophilic water molecule

P148

D. Hamada, T. Higurashi, K. Mayanagi, T. Fukui, I. Yanagihara

Tetrameric Structure of Thermostable Direct Hemolysin from Vibrio parahaemolyticus

P149

T. Sato, T. Oka, M. Nakasako

Observation of the surface structures of protein crystals by atomic force microscopy

P150

M. Kawakami, K. Byrne, B. Khatri, T. C. B. McLeish, S. E. Radford, D. A. Smith

Single molecule dynamics of biomolecules studied by atomic force microscopy

P151

R. Kita, Y. Kishikawa, S. Yagihara

*Unusual thermodiffusion behavior of aqueous solutions of polymers under a temperature gradient (I):
Dextran in the presence and the absence of urea*

P152

R. Kita, S. Yagihara

*Unusual thermodiffusion behavior of aqueous solutions of polymers under a temperature gradient (II):
PNiPAM in water and in alcohols*

P153

H. Ichihara, H. Nagami, T. Kiyokawa, Y. Matsumoto, R. Ueoka

*Chemotherapy with Drug-Free Hybrid Liposomes Composed of Dimyristoylphosphatidylcholine and
Polyoxyethylenedodecyl Ether*

P154

Y. Komizu, T. Matsushita, Y. Matsumoto, R. Ueoka

Membrane Targeted Chemotherapy with Hybrid Liposomes for Colon Tumor Cells Leading to Apoptosis

P155

M. Nomura, T. Yamaguchi, T. Matsuoka, S. Koda

Effect of High-frequency ultrasound on liposome solutions

P156

Y. Nagasawa, G. Katayama, M. Ogasawara, S. Ito, H. Miyasaka

Diffusion of oxygen molecules in saccharide solutions measured by fluorescence correlation spectroscopy.

P157

K. Tominaga

*Liquid Dynamics and Intermolecular Interactions in Aqueous Solutions and Biological Systems Studied by
Femtosecond Laser Spectroscopy*

P158

A. A. Zinchenko, T. Takenaka, K. Hibino, Y. Yoshikawa, K. Yoshikawa

Effect of K^+ and Na^+ counterions on DNA compaction by multications, by cationic nanoparticles and in concentrated solutions of neutral polymer.

P159

N. Chen, A. A. Zinchenko, D. Baigl, K. Yoshikawa

Probing biopolymer conformation by metallization with noble metals

P160

H. Mita, M. Ozawa, T. Fujisaki, Y. Yamamoto

Dynamics and thermodynamics of the dimerization of G-quadruplex DNA with various cations